### Hybrid Embryos Produced by Transferring Panda or Cat Somatic Nuclei Into Rabbit MII Oocytes Can Develop to Blastocyst In Vitro

DUAN-CHENG WEN<sup>1,2</sup>, CHUN-MING BI<sup>1</sup>, YING XU<sup>1</sup>, CAI-XIA YANG<sup>1</sup> ZI-YU ZHU<sup>1</sup>, QING-YUAN SUN<sup>1</sup>, AND DA-YUAN CHEN<sup>1\*</sup> <sup>1</sup>State Key Laboratory of Reproductive Biology, Institute of Zoology, Chinese Academy of Sciences, Beijing 100080, China <sup>2</sup>Laboratory Animal Research Center, Guangzhou Medical College, Guangzhou 510182, China

ABSTRACT The developmental potential of hybrid embryos produced by transferring panda or cat fibroblasts into nucleated rabbit oocytes was assessed. Both the panda-rabbit and the cat-rabbit hybrid embryos were able to form blastocysts in vitro. However, the rates of attaining the two-cell, four-cell, eight-cell, morula, or blastocyst stages for panda-rabbit hybrids were significantly greater than those of cat-rabbit hybrids (P < 0.05). Transferring the rabbit fibroblasts into nucleated rabbit oocytes, 31.0% of the blastocyst rate was obtained, which was significantly higher than that of both the panda–rabbit and the cat–rabbit hybrid embryos (P < 0.05). Whether or not the second polar body (PB<sub>2</sub>) was extruded from the one-cell hybrid embryos (both panda-rabbit and cat-rabbit hybrids) significantly affected their developmental capacity. Embryos without an extruded PB<sub>2</sub> showed a higher capacity to develop into blastocysts (panda-rabbit: 19.2%; cat-rabbit: 4.3%), while embryos with extruded PB<sub>2</sub> could only develop to the morula stage. The hybrid embryos formed pronucleuslike structures (PN) in 2-4 hr after activation, and the number of PN in one-cell embryos varied from one to five. Tracking of the nucleus in the egg after fusion revealed that the somatic nucleus could approach and aggregate with the oocyte nucleus spontaneously. Chromosome analysis of the pandarabbit blastocysts showed that the karyotype of the hybrid embryos (2n = 86) consisted of chromosomes from both the panda (2n = 42) and the rabbit (2n = 44). The results demonstrate that (1) it is possible to produce genetic hybrid embryos by interspecies nuclear transfer; (2) the developmental potential of the hybrid embryos is highly correlated to the donor nucleus species; and (3) the hybrid genome is able to support the complete preimplantation embryonic development of the hybrids. J. Exp. Zool. 303A:689-697, 2005. © 2005 Wiley-Liss, Inc.

#### INTRODUCTION

The production of hybrid embryos between species may be achieved by interspecies fertilization; however, the natural barrier of the zona pellucida preventing penetration by alien sperm has frustrated most attempts to do so. The techniques of micromanipulation, such as injection of a single spermatozoon into the perivitelline space, or transfer of a sperm head into the ooplasm (ICSI), could be used to overcome the natural barrier of interspecies fertilization. With these approaches, the interspecies fertilization rate remains, however, low and hybrid embryo developmental capacities are still very limited (Waksmundzka, '94; Kim et al., '99). Nuclear transfer

© 2005 WILEY-LISS, INC.

(NT) technique developed in amphibians (Briggs and King, '52; McKinnell, '62) and mammals (McGrath and Solter, '83; Willadsen, '86) is an invaluable tool for studying fundamental questions about development and differentiation. This technique also permits the creation of genetic

Grant sponsor: Climbing Project from the Ministry of Science and Technology of China; Grant number: Climbing-special-08; Knowledge Innovation Project of the Chinese Academy of Sciences; Grant number: KSCX1-05-01, KSCX2-SW-303.

<sup>\*</sup>Correspondence to: Da-Yuan Chen, State Key Laboratory of Reproductive Biology, Institute of Zoology, Chinese Academy of Sciences, \$25 Bei-Si-Huan-Xi Lu, Haidian, Beijing 100080, China E-mail: chendy@panda.ioz.ac.cn

Received 4 March 2004; Accepted 22 April 2005.

Published online in Wiley InterScience (www.interscience.wiley. com). DOI: 10.1002/jez.a.191.

combinations that are otherwise impossible because of natural barriers to fertilization in mammals. Waksmundzka ('94) reported the first experiments of intergeneric NT in mammals, in which he transferred the rat spindle into nucleated MII mouse oocytes, but he found that the rat-mouse hybrid embryos could not develop beyond the eight-cell stage. Since the production of Dolly the sheep (Wilmut et al., '97), somatic NT has been applied to many other mammalian species (Cibelli et al., '98; Kato et al., '98; Wakayama et al., '98; Baguisi et al., '99; Polejaeva et al., 2000; Chesne et al., 2002; Shin et al., 2002). These experiments demonstrate that somatic cell nuclei from various differentiated states can be reprogrammed and are able to initiate another round of embryonic development after being introduced into enucleated recipient oocytes. On the other hand, researchers found that bovine and rabbit oocyte cytoplasm supports the development of embryos produced by the transfer of somatic nuclei from many different mammalian species (Chen et al., '99; Dominko et al., '99). This technique (i.e., interspecies NT) was recently proved practical in animal cloning (White et al., '99; Lanza et al., 2000; Loi et al., 2001). Chen et al. ('99, 2002) reported that embryos produced by transferring panda somatic cell nuclei into enucleated rabbit MII oocytes could develop to blastocyst in vitro and implant in vivo. The results suggest that factors exist in rabbit oocyte cytoplasm for nucleus reprogramming and dedifferentiation that are not species specific. The experiments described here were designed to answer the following questions: (1) Can rabbit oocytes and somatic cells from other species be used to produce genetic hybrid embryos by the technique of interspecies NT? (2) Can the rabbit genome and the genome from other species compatibly co-exist in these hybrid embryos?

#### MATERIALS AND METHODS

### Animal care and preparation of rabbit oocytes

Animal care and handling were conducted in accordance with policies on the care and use of animals promulgated by the ethical committee of the State Key Laboratory of Reproductive Biology, Institute of Zoology, The Chinese Academy of Sciences.

Female Japan Big-Eared white rabbits were superovulated by administration of follicle-stimulating hormone (FSH) and human chorionic gonadotropin (hCG) (Institute of Zoology, Academia Sinica). Each rabbit was injected intramuscularly with 1 mg of FSH two times daily for 3 d and with 100 IU hCG (intravenous) 12 hr after the last FSH injection. Rabbits were killed 14 hr after hCG injection. Cumulus masses were collected by flushing both oviducts with M2 medium (Sigma Chemical Co., St. Louis, MO) and treated shortly with 300 IU/ml hyaluronidase (SigmaChemical Co.) in M2 medium to separate the oocytes. The cumulus cells were removed mechanically by gently pipetting with a fine glass pipette. After washing in M2 medium three times, the cumulusfree eggs were transferred to M2 medium containing 7.5 µg/ml cytochalasin B (CB) (Sigma Chemical Co.), and used for micromanipulation.

#### **Preparation of donor cells**

The collection and use of giant panda tissues were approved by the Office of Wildlife Protection, the National Forestry Bureau of China. Abdominal muscles were collected within 30 min after the death of a 3-d-old triplet female panda (Ailuropoda melanoleuca). Tissues were cut into pieces and digested with 0.25% trypsin (Gibco BRL, New York, NY) for 30 min at 37°C. The digested cells and tissues were cultured in DMEM/F12 (Gibco BRL) supplemented with 20% FBS (Gibco BRL) in a humidified 5%  $CO_2$ +95% air incubator at 37°C. Cells were passaged at 70-80% confluence. The primary spindle-shaped cells confirmed as fibroblasts by immunochemical staining of vimentin proteins were isolated for further culture. Cells at 3–8 generations were used as donors.

Panda fibroblasts at 2–3 generations were used for transfecting the gene of green fluorescent protein (GFP). The  $P^{EGFP-C1}$  plasmid DNA (Clontech Co., Mountain View, CA; Cat. No. 6084-1) was transferred into the panda fibroblasts with the help of cationic lipofectamine (LTI Co., Garthersburg, MD; Cat. No. 18324-012). After 48 hr of transfection, the fibroblasts were screened in DMEM/F12 medium containing 400–800 µg/ml G418 (LTI Co., Cat. No. 26140087) for 3–4 d. Only those G418<sup>-</sup> selected fibroblasts were used for NT.

Tissues from the ear skin of a female domestic cat (*Felis catus*, age of 3 yr) were collected after anesthetizing by intramuscular injection of 1 ml "846", a mixture of anesthetics for sedation, analgesia, and relaxing muscles (Changcun Agricultural and Animal Husbandry University, China). Cell culture was conducted by the same method as described above.

#### Nuclear transfer and activation

The first polar body of rabbit oocyte was aspirated using a 20–25 µm glass pipette. A single cell from panda, cat, or rabbit was placed in the perivitelline space and was put in close contact with the plasma membrane of an oocyte. The couplets were transferred to a fusion chamber containing 100 µl of fusion medium [0.25 M sorbitol, 0.5 mM Mg (CH<sub>3</sub>COO)<sub>2</sub>, 0.1 mM Ca(CH<sub>3</sub> COO)<sub>2</sub>, 0.5 mM Hepes, and 100 mg/100 ml BSA in deionized water]. Fusion was induced by double DC pulses of 1.4 kV/cm for 80 µs with an ECM2001 Electrocell Manipulator (BTX Inc., San Diego, CA). Couplets were then washed three times in M199 medium (Gibco BRL) supplemented with 10% FBS (Gibco BRL), and incubated in the same medium for 30 min at 38°C in humidified air containing 5% CO<sub>2</sub>. Couplets were checked for fusion under an inverted microscope, and the fused couplets were activated by double DC pulses of 1.4 kV/cm for  $40 \mu \text{s}$  in the fusion medium. The activated embryos were washed in M199+10% FBS at least three times before being transferred to the incubator for culturing.

#### Embryo culture and assessment of development

All the cat–rabbit and panda–rabbit hybrid embryos were cultured in M199+10% FBS at 38°C in humidified air containing 5% CO<sub>2</sub>. Extrusion of the second polar body was checked 5–7 hr after activation. Embryos with extruding polar bodies were picked out and cultured in another drop of culture medium. The developmental stages of the embryos were observed twice a day at 12-hr intervals.

#### Estimation of embryo karyotype

The panda–rabbit hybrid embryos were assessed for karyotype at the blastocyst stage using an airdrying technique (Tarkowski, '66), with minor modifications. Briefly, embryos at the blastocyst stage were pre-incubated in  $5 \mu g/ml$  colchicine (Sigma Chemical Co.) for 5–6 hr to maximize the number of cells in metaphase. Embryos were then exposed to a hypotonic solution consisting of 1% sodium citrate in deionized water for 30–50 min. Embryos were placed onto the pre-cooled glass slide and fixed with a mixture of glacial acetic acid and methanol (1:3). Slides were stained with Giemsa after being dried in air overnight. Chromosomes were counted under a light microscope.

#### Statistical analysis

Percentages of embryos at different stages were compared between groups using chi-square analysis. Differences were considered significant at P < 0.05.

#### RESULTS

#### Developmental capacity of cat-rabbit and panda-rabbit hybrid embryos in vitro

There was no significant difference in fusion rate after transferring panda, cat, or rabbit fibroblasts into rabbit oocytes (P > 0.05). The blastocyst rate of the panda-rabbit hybrid embryos was 8.4%, significantly greater than that of the cat-rabbit hybrid embryos (3.7%) (P<0.05); however, blastocyst rates for both the pandarabbit and the cat-rabbit hybrid embryos were significantly lower than that of the rabbit-rabbit embryos (31.0%, presumably tetraploid embryos) (P < 0.05). Most of the cat-rabbit hybrid embryos completed the first two cleavages normally, and these embryos began to compact at the 8- to 16-cell stage. Of the fused cat-rabbit embryos, 16.4% developed to the morula stage, at which point development was arrested, although a few (3.7%)reached the blastocyst stage. Blastocysts were formed about 7d after activation. The pandarabbit hybrid embryos possessed higher developmental potential than cat-rabbit hybrid embryos. About half of the fused embryos could develop to the morula stage, and 8.4% reached the blastocyst stage. The time of reaching the blastocyst stage for panda-rabbit hybrids was 5-6d after activation (Fig. 1) (Table 1).

When GFP-panda fibroblasts were used to construct the hybrid embryos, the GFPs could immediately be tracked in the rabbit oocyte cytoplasm after fusion under blue laser light. This protein could also be detected in the blastomeres of hybrid embryos before the 8-cell stage, whereas it was not detected in the cells of morulae and blastocysts (Fig. 1). After fusion, most of the embryos could form pronucleus-like structures (PN) within 2–4 hr after activation. The number of the PN varied among these reconstructed embryos, 6.6% (11/167) of the one-cell embryos being found with 1PN, 33.5% (56/167) with 2PN, 43.1% (72/167) with 3PN, 12.0% (20/167) with 4PN, and 4.6% (8/167) with 5PN. Extrusion of the donor nucleus was not found before the first cleavage by GFP tracking. Observations with Hoechst staining of the nuclei showed that the



Fig. 1. Pre-implantation embryos of panda-rabbit and cat-rabbit hybrid embryos. (**a**-**d**) Two-cell, eight-cell, morula, and blastocyst of panda-rabbit hybrids. (**e**-**h**) Two-cell, eight-cell, morula, and blastocyst of cat-rabbit hybrids.

TABLE 1. Developmental capacity of cat-rabbit and panda--rabbit hybrid embryos in vitro

Cell type	No. of NT	Fused (%)	Two-cell (%)	Four-cell (%)	Eight-cell (%)	Morula (%)	Blastocyst (%)
Panda fibroblasts	612	347 (56.7) <sup>a</sup>	$265 (76.4)^{a}$	$223 (64.3)^{a}$	208 (59.9) <sup>a</sup>	171 (49.3) <sup>a</sup>	29 (8.4) <sup>a</sup>
Cat fibroblasts	342	189 (55.3) <sup>a</sup>	$120(63.5)^{\rm b}$	104 (55.0) <sup>b</sup>	84 (44.4) <sup>b</sup>	31 (16.4) <sup>b</sup>	$7(3.7)^{\rm b}$
Rabbit fibroblasts	111	71 (64.0) <sup>a</sup>	55 (77.5) <sup>a</sup>	40 (56.3) <sup>a,b</sup>	38 (53.5) <sup>a,b</sup>	31 (43.7) <sup>a</sup>	22 (31.0) <sup>c</sup>

Values with different superscripts within each column are significantly different (at least P < 0.05). Fused (%): fused oocytes/nuclear transfer (NT) units; development rate of embryos at different stages: no. of embryos /no. of fused oocytes.

donor nucleus approached the oocyte nucleus spontaneously; most of the donor nuclei could get close to the oocyte nucleus within 4–5 hr, and aggregate into a new intermixing nucleus 7–8 hr after activation.

# Effects of $PB_2$ extrusion on developmental potential of panda-rabbit hybrid embryos

About half of the embryos could extrude the PB<sub>2</sub>, while the rest did not any show polar body in the perivitelline space. Occasionally, two polar bodies were observed in one embryo. The rate of development of two-cell, four-cell, eight-cell, morula, or blastocyst stages for embryos with extruded PB<sub>2</sub> was significantly lower than that of the embryos without extruded PB<sub>2</sub> (P < 0.05). Embryos without extruded PB showed a higher capacity to develop to the blastocyst stage (19.2%). Although embryos with an extruded PB<sub>2</sub> were able to develop to the morula stage, no blastocysts were observed among the 81 hybrid

embryos in this experiment (Table 2). Chromosome analysis showed that the number of chromosomes in these hybrid blastocysts was 86 (Fig. 2), which was different from the chromosome number of both the panda (2n = 42) and the rabbit (2n = 44).

# Effects of PB<sub>2</sub> extrusion on developmental potential of cat-rabbit hybrid embryos

The rate of embryo development into two-cell, four-cell, or eight-cell stage for cat-rabbit hybrid embryos with extruded PB<sub>2</sub> was significantly lower than that of the embryos without extruded PB<sub>2</sub> (P < 0.05); however, the rate of morula or blastocyst development was not significantly different in hybrid embryos with or without PB extrusion (P > 0.05). Cat-rabbit hybrid embryos with extruded PB<sub>2</sub> could develop to the four- to six-cell stage with normal appearance, but most of the embryos remained at the eight-cell stage for 1– 2 d with abnormal appearance and subsequently

#### **DEVELOPMENT OF HYBRID EMBRYOS**

Extrusion of PB2	No. of fused (%)	Two-cell (%)	Four-cell (%)	Eight-cell (%)	Morula (%)	Blastocyst (%)
Extruded Not extruded	81 $(50.9)^{\rm a}$ 78 $(49.1)^{\rm a}$	$53 (65.4)^{\rm a}$ 75 (96.2) <sup>b</sup>	$47 (58.0)^{\rm a} \\ 60 (76.9)^{\rm b}$	$\begin{array}{c} 37~(45.7)^{\rm a} \\ 48~(61.5)^{\rm b} \end{array}$	$29 (35.8)^{\rm a} 43 (53.8)^{\rm b}$	$0(0)^{a}$ 15(19.2) <sup>b</sup>

TABLE 2. Effects of the second polar body (PB2) extrusion on developmental potential of panda-rabbit hybrid embryos

Values with different superscripts within each column are significantly different (at least P < 0.05). Development rate of embryos at different stages: no. of embryos /no. of fused oocytes.

Fig. 2. Karyotype of panda–rabbit hybrid blastocyst  $(2n=86). \label{eq:constraint}$ 

degenerated. None of the 60 embryos reached the blastocyst stage. Embryos without extruded PB<sub>2</sub> could develop to the eight-cell stage normally. A small proportion of these embryos (20.3%) could develop into morulae, and 4.3% of these embryos developed into blastocysts (Table 3) (Figs. 3–5).

#### DISCUSSION

Previous studies in our laboratory have shown that panda somatic cell nuclei can undergo dedifferentiation and be reprogrammed after being introduced into enucleated rabbit MII oocytes; these somatic nuclei are able to support the development from reconstructed embryos into blastocysts (Chen et al., '99; 2002). In this experiment, we transferred rabbit fibroblasts into nucleated rabbit oocytes, which resulted in a 31.0% blastocyst rate after culturing in vitro. When transferring panda somatic cell nuclei into nucleated rabbit oocytes, 8.4% of these interspecies hybrid embryos developed to the blastocyst stage. Karyotype analysis confirmed that the panda-rabbit hybrid blastocysts (2n = 86) contained a total of 86 chromosomes, presumably resulting from the panda (2n = 42) and the rabbit (2n = 44). When cat fibroblasts were transferred into nucleated rabbit MII oocytes, most of these hybrid embryos could complete the first two cleavages normally, and 3.7% of the embryos developed to the blastocyst stage. The blastocyst rates of both the panda-rabbit and the cat-rabbit hybrid embryos were significantly lower than that of the rabbit-rabbit hybrid embryos, indicating that the developmental potential of the genetic hybrid embryos produced by somatic NT is affected by the donor nucleus species.

The developmental potential of the cat-rabbit hybrid embryos was significantly lower than that of panda-rabbit hybrids. For the cat-rabbit hybrid embryos, 44.4% of the fused embryos could complete the first three cleavages, but only 16.4% of these embryos developed to the morula stage. These findings suggest that there might be an eight-cell-to-morula block; this block may also be the cause of the low blastocyst rate of the catrabbit hybrid embryos. About half of the fused

TABLE 3. Effects of the second polar body (PB<sub>2</sub>) extrusion on developmental potential of cat-rabbit hybrid embryos

Extrusion of $PB_2$	No. of fused (%)	Two-cell (%)	Four-cell (%)	Eight-cell (%)	Morula (%)	Blastocyst (%)
Extruded	$\begin{array}{l} 60~(46.5)^{\rm a} \\ 69~(53.5)^{\rm a} \end{array}$	$35 (58.3)^{\rm a}$	$31 (51.7)^{\rm a}$	29 (48.3) <sup>a</sup>	7 (11.7) <sup>a</sup>	$0(0)^{a}$
Not extruded		57 (82.6) <sup>b</sup>	57 (82.6) <sup>b</sup>	48 (69.6) <sup>b</sup>	14 (20.3) <sup>a</sup>	$3(4.3)^{a}$

Values with different superscripts within each column are significantly different (at least P < 0.05). Development rate of embryos at different stages: no. of embryos /no. of fused oocytes.



Fig. 3. Transferring green fluorescent protein (GFP)-panda fibroblasts into rabbit ooytes. (**a**) GFP infected panda fibroblast cells; (**b**) couplets of the GFP fibroblast and the rabbit oocyte; (**c**) fused couplets (fo: GFP-fibroblast fused into the oocyte, nfo: not fused oocyte); (**d**-**f**) two-cell, four-cell, and eight-cell embryos derived from transferring GFP-panda fibroblasts into rabbit MII oocytes, GFP could be detected in the blastomeres of these embryos.



Fig. 4. Second polar body  $(PB_2)$  extrusion and pronucleus-like structure (PN) formation in the panda–rabbit hybrid embryos. (a) PB<sub>2</sub> extrusion after activation; (b–f) embryos with 1PN, 2PN, 3PN, 4PN, and 5PN (arrows) 4–5 hr after activation.

panda-rabbit hybrid embryos (49.3%) reached the morula stage. However, only 8.4% reached the blastocyst stage. These results show that there might be a morula-to-blastocyst block for pandarabbit hybrid embryos. In mammalian species, the maternal-zygotic transition (MZT) in genomic control usually occurs at earlier embryo stages and is often associated with developmental blocks (Frei et al., '89; Telford et al., '90). This MZT, which is species dependent and occurs at a particular stage of development, is characterized by a large increase in detectable transcription (Telford et al., '90; Campbell, '99). The completion of MZT leads the nucleus to take full control of embryo development. For somatic NT embryos, there is a similar transition associated with



Fig. 5. The panda somatic nucleus in rabbit oocyte as revealed by Hoechst staining. (a) 30 min after fusing the panda fibroblast with rabbit oocyte; (b) two nuclei apposed 4 hr after fusion; (c) swelling and aggregation of the nuclei 7 hr after fusion.

nucleus reprogramming (Campbell, '99). Thus, the blocks in vitro suggest that the MZT for cat-rabbit hybrid embryos occurs before the eight-cell stage and in the panda-rabbit hybrid embryos it occurs before the morula stage. In another experiment, we transferred both panda and cat somatic nuclei into enucleated rabbit oocytes, and the time for development to blastocyst stage for panda-rabbit cloned embryos was 5d (Chen et al., 2002), that for cat-rabbit cloned embryos was 6-7d, and that for rabbit-rabbit cloned embryos was 4-5d after activation (our unpublished data). The timing differences in embryogenesis among species may indicate the temporal and spatial differences in gene expression of the nuclei from different species. The lower developmental potential for cat-rabbit hybrid embryos may partly be attributed to the temporal and spatial differences in the gene expression of cat and rabbit nuclei, whereas the relatively higher developmental potentials for panda-rabbit hybrid embryos may be partly explained by their similar timing of embryogenesis.

In these interspecies genetic hybrid embryos, the donor nucleus was not extruded from the rabbit oocyte after fusion; on the contrary, it aggregated with the oocyte nucleus into a new intermixing nucleus and developed into a blastocyst. The results demonstrate that rabbit MII oocytes could not only dedifferentiate the somatic cell nuclei from other species but could also accept the exotic genomes to form an intermixing karyotype (genetic hybrid), and the hybrid genome was able to support the development from reconstructed hybrid embryos to blastocysts.

In intraspecies NT, the events that occur in the donor nucleus after transferring into an enucleated MII oocyte have been studied in a number of species (Czolowska and Modlinski, '84; Prather et al., '89; Collas and Robl, '91; Kanda et al., '91; Lai et al., 2001). The donor nucleus undergoes a series of remodeling, such as donor nuclear envelope breakdown, premature chromosome condensation, nuclear swelling, and formation of PN after activation (Campbell et al., '96; Lai et al., 2001). The number of PN in one-cell NT embryos varied from one to three and was correlated with the donor cells' stages (Lai et al., 2001). In our experiment, panda fibroblasts were injected into nucleated rabbit MII oocvtes, and formation of PN was observed 2-4 hr after activation. The number of PNs in one-cell hybrid embryos varied from one to five, a more complex finding than what was seen in intraspecies cloned embryos derived from enucleated oocytes. The fibroblasts that we used in this experiment were not made quiescent by serum starvation; thus, the donor cells may have been in different stages of the cell cycle. However, the panda fibroblast cells were passaged at 70–80% confluence, and about 80% of the cells were at the G0/G1 stage, whereas the rest were at G2/M and S stage (our unpublished results). When transferring a G0/G1 stage cell nucleus into an MII rabbit oocyte, the somatic nucleus may decondense normally to form a PN in the cytoplasm after activation; at the same time, there are two possibilities regarding the fate of oocyte genetic material: extrusion of PB<sub>2</sub> and formation of one PN, or formation of two PNs without extrusion of  $PB_2$ . Regardless of the extrusion of  $PB_2$ , transferring a G0/G1 cell nucleus into a nucleated MII oocyte will form two or three PNs. In our experiment, about 75% of the reconstructed embryos were found with two or three PNs, which was consistent with the percentage of G0/G1 stage in donor cells. Embryos with four PNs might be the result of the G2/M-stage donor cells that were randomly selected in NT: two PNs might be derived from the two sets of chromosomes in the G2/M-stage cells, whereas the other two PNs might be derived from the MII oocvte nucleus. The reasons for the formation of one PN and five PNs were not clear; however, the latter might be the result of abnormal chromosome separations in oocytes or in donor cells.

Normally, an MII oocyte will extrude the second polar body after activation. In this experiment, without post-activation treatment for suppression of polar body extrusion, only about half of the reconstructed oocytes extruded the PB<sub>2</sub> (pandarabbit: 50.9%; cat-rabbit: 46.5%) after activation. The first polar body in the perivitelline space may affect the evaluation of the cell fusion and  $PB_2$ extrusion for the NT couplets. In order to remove the first polar bodies from the oocytes, we preincubated the rabbit ooyctes in manipulation medium (M2 medium containing  $7.5 \,\mu$ g/ml CB) for at least 15 min, and left these oocytes in the manipulation medium for about 1 hr until all the oocytes were manipulated. The low rate of  $PB_2$ extrusion in the reconstructed oocytes may be partly due to this pre-activation treatment in CB.

Parthenogenetic development of MII oocytes may proceed in either of the following ways: extrusion of PB<sub>2</sub> and development of eggs with a single haploid pronucleus, or failure in PB2 emission and the formation of two haploid pronuclei (Rougier and Werb, 2001). Transferring a diploid somatic nucleus into an MII oocvte without extruded PB<sub>2</sub> would result in a heterogenetic tetraploid karyotype (2n+2n), in which the two suits of chromosomes are from different species. In mammalian species, homogenetic tetraploid (in which the two suits of chromosomes are from the same species) embryos could develop to the blastocyst stage with correct segregation of the chromosomes during embryogenesis (Ozil and Modlinski, '86; Kaufman and Webb, '90; Curnow et al., 2000). In our experiment, the tetraploid hybrid embryos were able to develop into blastocysts, suggesting that the heterogenetic tetraploid embryos could also complete pre-implantation development with the correct segregation of chromosomes. However, transferring a diploid somatic nucleus into an MII oocyte with extruded PB<sub>2</sub> would form a heterogenetic triploid karyotype (2n+n). Our results show that embryos with extruded PB<sub>2</sub> possess lower developmental potential than those without extruded PB<sub>2</sub>. During pre-implantation embryogenesis, the heterogenetic triploid karyotype might cause a disordered segregation of the chromosomes as several embryo cleavages. The loss of some chromosomes in the embryo cells, especially the rabbit chromosomes (of which only one set existed in the embryos), would probably be the cause of the low

developmental potential of the hybrid embryos with extruded  $PB_2$ . However, a practicable experiment should be designed to verify this speculation.

#### ACKNOWLEDGMENT

We thank Ms. Xiang-Fen Song, Zhao-Hui Kou, and Yu-Qi Wu for their technical assistance.

#### LITERATURE CITED

- Baguisi A, Behboodi E, Melican DT, Pollock JS, Destrempes MM, Cammuso C, Williams JL, Nims SD, Porter CA, Midura P, Palacios MJ, Ayres SL, Denniston RS, Hayes ML, Ziomek CA, Meade HM, Godke RA, Gavin WG, Overstrom EW, Echelard Y. 1999. Production of goats by somatic cell nuclear transfer. Nat Biotech 17:456–461.
- Briggs R, King TJ. 1952. Transplantation of living cell nuclei from blastula cells into enucleated frog's eggs. Proc Natl Acad Sci USA 39:455–463.
- Campbell KHS. 1999. Nuclear equivalence, nuclear transfer, and the cell cycle. Cloning 1:3–14.
- Campbell KHS, Loi P, Otaegui PJ, Wilmut I. 1996. Cell cycle co-ordination in embryo cloning by nuclear transfer. Rev Reprod 1:40–46.
- Chen DY, Sun QY, Liu JL, Li GP, Lian L, Wang MK, Han ZM, Song XF, Li JS, Sun Q, Chen YC, Zhang YP, Ding B. 1999. The giant panda (*Ailuropoda melanoleuca*) somatic nucleus can dedifferentiate in rabbit ooplasm and support early development of the reconstructed egg. Sci China (Ser C) 29:324–330.
- Chen DY, Wen DC, Zhang YP, Sun QY, Han ZM, Liu ZH, Shi P, Li JS, Xiangyu JG, Lian L, Kou ZH, Wu YQ, Chen YC, Wang PY, Zhang HM. 2002. Interspecies implantation and mitochondria fate of panda-rabbit cloned embryos. Biol Reprod 67:637-642.
- Chesne P, Adenot PG, Viglietta C, Baratte M, Boulanger L, Renard JP. 2002. Cloned rabbits produced by nuclear transfer from adult somatic cells. Nat Biotech 20:366–369.
- Cibelli JB, Stice SL, Golueke PJ, Kane JF, Jerry J, Blackwell F, Ponce de Leon F, Robl JM. 1998. Cloned transgenic calves produced from nonquiescent fetal fibroblasts. Science 280:1256–1258.
- Collas P, Robl JM. 1991. Relationship between nuclear remodeling and development in nuclear transplant rabbit embryos. Biol Reprod 45:455–465.
- Curnow EC, Gunn IM, Trounson AO. 2000. Electrofusion of two-cell bovine embryos for the production of tetraploid blastocysts in vitro. Mol Reprod Dev 56:372–377.
- Czolowska R, Modlinski JA. 1984. Behavior of thymocyte nuclei in non-activated and activated mouse oocytes. J Cell Sci 69:19–34.
- Dominko T, Mitalipova M, Haley B, Beyhan Z, Memili E, Mckusick B, First NL. 1999. Bovine oocyte cytoplasm supports development of embryos produced by nuclear transfer of somatic cell nuclei from various mammalian species. Biol Reprod 60:1496–1502.
- Frei RE, Schultz GA, Church RB. 1989. Qualitative and quantitative changes in protein synthesis occur at the 8–16cell stage of embryogenesis in the cow. J Reprod Fertil 86:637–641.

- Kanda J, Fulka Jr, J, Fulka J, Petr J. 1991. Nuclear transplantation in bovine embryos: fine structural and autoradiographic studies. Mol Reprod Dev 29:110–116.
- Kato Y, Tani T, Sotomaru Y, Kurokawa K, Kato JY, Doguchi H, Yasue H, Tsunoda Y. 1998. Eight calves cloned from somatic cells of a single adult. Science 282: 2095–2098.
- Kaufman MH, Webb S. 1990. Postimplantation development of tetraploid mouse embryos produced by electrofusion. Development 110:1121–1132.
- Kim NH, Jun SH, Do JT, Uhm SJ, Lee HT, Chung KS. 1999. Intracytoplasmic injection of porcine, bovine, mouse, or human spermatozoon into porcine oocytes. Mol Reprod Dev 53:84–91.
- Lai L, Tao T, Machaty Z, Kühholzer B, Sun QY, Park KW, Day BN, Prather RS. 2001. Feasibility of producing porcine nuclear transfer embryos by using G2/M-stage fetal fibroblasts as donors. Biol Reprod 65:1558–1564.
- Lanza RP, Cibelli J, Diaz F, Moraes C, Farin PW, Farin CE, Hammer CJ, West MD, Damiani P. 2000. Cloning of an endangered species using interspecies nuclear transfer. Cloning 2:79–90.
- Loi P, Ptak G, Barboni B, Fulka J, Cappai P, Clinton M. 2001. Genetic rescue of an endangered mammal by cross-species nuclear transfer using post-mortem somatic cells. Nature Biotech 19:962–964.
- McGrath J, Solter D. 1983. Nuclear transplantation in mouse embryos by microsurgery and cell fusion. Science 220:1300–1302.
- McKinnell RG. 1962. Intraspecific nuclear transplantation in frogs. J Hered 53:199–207.
- Ozil JP, Modlinski JA. 1986. Effects of electric field on fusion rate and survival of two-cell rabbit embryos. J Embryol Exp Morphol 96:211–228.

- Polejaeva IA, Chen SH, Vaught TD, Page RL, Mullins J, Ball S, Dai Y, Boone J, Walker S, Ayares DL, Colman A, Campbell KH. 2000. Cloned pigs produced by nuclear transfer from adult somatic cells. Nature 407:86–90.
- Prather RS, Sims MM, First NL. 1989. Nuclear transplantation in early pig embryos. Biol Reprod 41:414–418.
- Rougier N, Werb Z. 2001. Parthenogenesis in mammals. Mol Reprod Dev 59:468–474.
- Shin T, Kraemer D, Pryor J, Lui L, Rugila J, Howe L, Buck S, Murphy K, Lyons L, Westhusin M. 2002. A cat cloned by nuclear transplantation. Nature 415:859.
- Tarkowski AK. 1966. An air-drying method for chromosome preparation from mouse eggs. Cytogenetics 5:394–400.
- Telford NA, Watson AJ, Schultz GA. 1990. Transition from maternal to embryonic control in early mammalian development: a comparison of several species. Mol Reprod Dev 26:90–100.
- Wakayama T, Perry AC, Zuccotti M, Johnson KR, Yanagimachi R. 1998. Full-term development of mice from enucleated oocytes injected with cumulus cell nuclei. Nature 394: 369–374.
- Waksmundzka M. 1994. Development of rat  $\times$  mouse hybrid embryos produced by microsurgery. J Exp Zool 269: 551–559.
- White KL, Bunch TD, Mitalipov S, Reed WA. 1999. Establishment of pregnancy after the transfer of nuclear transfer embryos produced from the fusion of Argali (*Ovis ammon*) nuclei into domestic sheep (*Ovis aries*) enucleated oocytes. Cloning 1:47–54.
- Willadsen SM. 1986. Nuclear transplantation in sheep embryos. Nature 320:63-65.
- Wilmut I, Schnieke AE, McWhir J, Kind AJ, Campbell KH. 1997. Viable offspring derived from fetal and adult mammalian cells. Nature 385:810–813.